(1647)

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/462,909B

DATE: 11/14/2001
TIME: 09:57:06

Input Set : A:\es.txt
Output Set: N:\CRF3\11142001\I462909B.raw

ENTERED

P. 5

```
 3 <110> APPLICANT: MEINIEL, Annie
 4        MONNERIE, Hubert
 5        GOBRON, Stephane
 7 <120> TITLE OF INVENTION: NOVEL PEPTIDES AND POLYPEPTIDES USEFUL FOR REGENERATING THE
NERVOUS
 8        SYSTEM
10 <130> FILE REFERENCE: 065691/0179
12 <140> CURRENT APPLICATION NUMBER: 09/462,909B
13 <141> CURRENT FILING DATE: 2000-02-14
15 <150> PRIOR APPLICATION NUMBER: PCT/FR98/01556
16 <151> PRIOR FILING DATE: 1998-07-16
18 <150> PRIOR APPLICATION NUMBER: FR 97/09016
19 <151> PRIOR FILING DATE: 1997-07-16
21 <160> NUMBER OF SEQ ID NOS: 24
23 <170> SOFTWARE: PatentIn version 3.1
25 <210> SEQ ID NO: 1
26 <211> LENGTH: 16
27 <212> TYPE: PRT
28 <213> ORGANISM: Bovine
30 <220> FEATURE:
31 <221> NAME/KEY: misc_feature
32 <222> LOCATION: (3)..(7)
33 <223> OTHER INFORMATION: Xaa can be any amino acid
36 <220> FEATURE:
37 <221> NAME/KEY: misc_feature
38 <222> LOCATION: (10)..(14)
39 <223> OTHER INFORMATION: Xaa can be any amino acid
42 <400> SEQUENCE: 1
44 Trp Ser Xaa Xaa Xaa Xaa Xaa Cys Ser Xaa Xaa Xaa Xaa Xaa Cys Gly
45 1               5                   10                  15
48 <210> SEQ ID NO: 2
49 <211> LENGTH: 9
50 <212> TYPE: PRT
51 <213> ORGANISM: Bovine
53 <400> SEQUENCE: 2
55 Trp Ser Pro Cys Ser Val Thr Cys Gly
56 1               5
59 <210> SEQ ID NO: 3
60 <211> LENGTH: 9
61 <212> TYPE: PRT
62 <213> ORGANISM: Bovine
64 <400> SEQUENCE: 3
66 Trp Ser Ser Cys Ser Val Thr Cys Gly
67 1               5
70 <210> SEQ ID NO: 4
71 <211> LENGTH: 9
72 <212> TYPE: PRT
73 <213> ORGANISM: Bovine
```

W-->

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/462,909B

DATE: 11/14/2001
TIME: 09:57:06

Input Set : A:\es.txt
Output Set: N:\CRF3\11142001\I462909B.raw

```
75 <400> SEQUENCE: 4
77 Trp Ser Gln Cys Ser Val Thr Cys Gly
78 1                   5
81 <210> SEQ ID NO: 5
82 <211> LENGTH: 4
83 <212> TYPE: PRT
84 <213> ORGANISM: Bovine
86 <220> FEATURE:
87 <221> NAME/KEY: MISC_FEATURE
88 <222> LOCATION: (1)..(1)
89 <223> OTHER INFORMATION: Xaa can be Gly, Ser or Cys
92 <220> FEATURE:
93 <221> NAME/KEY: MISC_FEATURE
94 <222> LOCATION: (3)..(3)
95 <223> OTHER INFORMATION: Xaa can be Gly, Ser or Cys
98 <220> FEATURE:
99 <221> NAME/KEY: MISC_FEATURE
100 <222> LOCATION: (4)..(4)
101 <223> OTHER INFORMATION: Xaa can be Gly, Ser or Cys
104 <400> SEQUENCE: 5
```
W--> 106 Xaa Trp Xaa Xaa
```
107 1
110 <210> SEQ ID NO: 6
111 <211> LENGTH: 4
112 <212> TYPE: PRT
113 <213> ORGANISM: Bovine
115 <220> FEATURE:
116 <221> NAME/KEY: MISC_FEATURE
117 <222> LOCATION: (1)..(1)
118 <223> OTHER INFORMATION: Xaa can be Gly, Ser or Cys
121 <220> FEATURE:
122 <221> NAME/KEY: MISC_FEATURE
123 <222> LOCATION: (4)..(4)
124 <223> OTHER INFORMATION: Xaa can be Gly, Ser or Cys
127 <400> SEQUENCE: 6
```
W--> 129 Xaa Trp Ser Xaa
```
130 1
133 <210> SEQ ID NO: 7
134 <211> LENGTH: 15
135 <212> TYPE: PRT
136 <213> ORGANISM: Bovine
138 <220> FEATURE:
139 <221> NAME/KEY: MISC_FEATURE
140 <222> LOCATION: (3)..(3)
141 <223> OTHER INFORMATION: Xaa can be Gly, Ser or Cys
144 <220> FEATURE:
145 <221> NAME/KEY: MISC_FEATURE
146 <222> LOCATION: (6)..(6)
147 <223> OTHER INFORMATION: Xaa can be Gly, Ser or Cys
```

```
      150 <220> FEATURE:
      151 <221> NAME/KEY: MISC_FEATURE
      152 <222> LOCATION: (9)..(13)
      153 <223> OTHER INFORMATION: Xaa can be any amino acid
      156 <400> SEQUENCE: 7
W--> 158 Trp Ser Xaa Trp Ser Xaa Cys Ser Xaa Xaa Xaa Xaa Xaa Cys Gly
      159 1               5               10              15
      162 <210> SEQ ID NO: 8
      163 <211> LENGTH: 12
      164 <212> TYPE: PRT
      165 <213> ORGANISM: Bovine
      167 <400> SEQUENCE: 8
      169 Trp Ser Gly Trp Ser Ser Cys Ser Arg Ser Cys Gly
      170 1               5               10
      173 <210> SEQ ID NO: 9
      174 <211> LENGTH: 22
      175 <212> TYPE: PRT
      176 <213> ORGANISM: Bovine
      178 <220> FEATURE:
      179 <221> NAME/KEY: MISC_FEATURE
      180 <222> LOCATION: (1)..(5)
      181 <223> OTHER INFORMATION: Xaa can be any amino acid
      184 <220> FEATURE:
      185 <221> NAME/KEY: MISC_FEATURE
      186 <222> LOCATION: (8)..(8)
      187 <223> OTHER INFORMATION: Xaa can be Pro or (Gly, Ser or Cys)-Trp-(Gly, Ser or Cys)-
(Gly, S
      188         er or Cys)
      191 <220> FEATURE:
      192 <221> NAME/KEY: MISC_FEATURE
      193 <222> LOCATION: (11)..(15)
      194 <223> OTHER INFORMATION: Xaa can be any amino acid
      197 <220> FEATURE:
      198 <221> NAME/KEY: MISC_FEATURE
      199 <222> LOCATION: (18)..(22)
      200 <223> OTHER INFORMATION: Xaa can be any amino acid
      203 <400> SEQUENCE: 9
W--> 205 Xaa Xaa Xaa Xaa Xaa Trp Ser Xaa Cys Ser Xaa Xaa Xaa Xaa Xaa Cys
      206 1               5               10              15
W--> 209 Gly Xaa Xaa Xaa Xaa Xaa
      210                 20
      213 <210> SEQ ID NO: 10
      214 <211> LENGTH: 36
      215 <212> TYPE: DNA
      216 <213> ORGANISM: Bovine
      218 <220> FEATURE:
      219 <221> NAME/KEY: misc_feature
      220 <222> LOCATION: (6)..(6)
      221 <223> OTHER INFORMATION: N can be A, C, G or T
      224 <220> FEATURE:
```

RAW SEQUENCE LISTING   DATE: 11/14/2001
PATENT APPLICATION: US/09/462,909B   TIME: 09:57:06

Input Set : **A:\es.txt**
Output Set: N:\CRF3\11142001\I462909B.raw

```
225 <221> NAME/KEY: misc_feature
226 <222> LOCATION: (9)..(9)
227 <223> OTHER INFORMATION: N can be A, C, G or T
230 <220> FEATURE:
231 <221> NAME/KEY: misc_feature
232 <222> LOCATION: (15)..(15)
233 <223> OTHER INFORMATION: N can be A, C, G or T
236 <220> FEATURE:
237 <221> NAME/KEY: misc_feature
238 <222> LOCATION: (18)..(18)
239 <223> OTHER INFORMATION: N can be A, C, G or T
242 <220> FEATURE:
243 <221> NAME/KEY: misc_feature
244 <222> LOCATION: (24)..(24)
245 <223> OTHER INFORMATION: N can be A, C, G or T
248 <220> FEATURE:
249 <221> NAME/KEY: misc_feature
250 <222> LOCATION: (27)..(27)
251 <223> OTHER INFORMATION: N can be A, C, G or T
254 <220> FEATURE:
255 <221> NAME/KEY: misc_feature
256 <222> LOCATION: (30)..(30)
257 <223> OTHER INFORMATION: N can be A, C, G or T
260 <220> FEATURE:
261 <221> NAME/KEY: misc_feature
262 <222> LOCATION: (36)..(36)
263 <223> OTHER INFORMATION: N can be A, C, G or T
266 <400> SEQUENCE: 10
```
W--> 267 tggwsnggnt ggwsnwsntg ywsnngnwsn tgyggn   36
```
270 <210> SEQ ID NO: 11
271 <211> LENGTH: 9
272 <212> TYPE: PRT
273 <213> ORGANISM: Bovine
275 <400> SEQUENCE: 11
277 Trp Gly Pro Cys Ser Val Ser Cys Gly
278 1               5
281 <210> SEQ ID NO: 12
282 <211> LENGTH: 8
283 <212> TYPE: PRT
284 <213> ORGANISM: Bovine
286 <400> SEQUENCE: 12
288 Asp Cys Lys Asp Gly Ser Asp Glu
289 1               5
292 <210> SEQ ID NO: 13
293 <211> LENGTH: 4
294 <212> TYPE: PRT
295 <213> ORGANISM: Bovine
297 <400> SEQUENCE: 13
299 Arg Lys Ala Arg
```

RAW SEQUENCE LISTING   DATE: 11/14/2001
PATENT APPLICATION: US/09/462,909B   TIME: 09:57:06

Input Set : A:\es.txt
Output Set: N:\CRF3\11142001\I462909B.raw

```
300  1
303  <210> SEQ ID NO: 14
304  <211> LENGTH: 12
305  <212> TYPE: PRT
306  <213> ORGANISM: Bovine
308  <400> SEQUENCE: 14
310  Ser Ser Cys Arg Ser Gly Cys Trp Gly Ser Ser Trp
311  1               5                 10
314  <210> SEQ ID NO: 15
315  <211> LENGTH: 23
316  <212> TYPE: PRT
317  <213> ORGANISM: Bovine
319  <400> SEQUENCE: 15
321  Trp Ser Pro Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys Gly Asn
322  1               5                 10                15
325  Gly Ile Gln Gln Arg Gly Arg
326              20
329  <210> SEQ ID NO: 16
330  <211> LENGTH: 23
331  <212> TYPE: PRT
332  <213> ORGANISM: Bovine
334  <400> SEQUENCE: 16
336  Trp Ser His Trp Ser Pro Trp Ser Ser Cys Ser Val Thr Cys Asp Gly
337  1               5                 10                15
340  Asp Val Ile Thr Arg Ile Arg
341              20
344  <210> SEQ ID NO: 17
345  <211> LENGTH: 23
346  <212> TYPE: PRT
347  <213> ORGANISM: Bovine
349  <400> SEQUENCE: 17
351  Trp Gly Pro Trp Ser Pro Trp Asp Ile Cys Ser Val Thr Cys Gly Gly
352  1               5                 10                15
355  Gly Val Gln Lys Arg Ser Arg
356              20
359  <210> SEQ ID NO: 18
360  <211> LENGTH: 9
361  <212> TYPE: PRT
362  <213> ORGANISM: Bovine
364  <400> SEQUENCE: 18
366  Trp Ser Gln Cys Ser Val Tyr Cys Gly
367  1               5
370  <210> SEQ ID NO: 19
371  <211> LENGTH: 22
372  <212> TYPE: PRT
373  <213> ORGANISM: Bovine
375  <400> SEQUENCE: 19
377  Thr Glu Trp Ser Ala Cys Ser Lys Ser Cys Gly Met Gly Phe Ser Thr
378  1               5                 10                15
```

VERIFICATION SUMMARY
PATENT APPLICATION: US/09/462,909B

DATE: 11/14/2001
TIME: 09:57:07

Input Set : A:\es.txt
Output Set: N:\CRF3\11142001\I462909B.raw

```
L:44 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:106 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5
L:129 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:158 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:205 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9
L:209 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9
L:267 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10
L:430 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
L:447 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23
L:464 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24
```